



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

WEST INDIES.

Report from Bridgetown, Barbados—Inspection of vessels—Sanitary conditions good.

Acting Assistant Surgeon Urquhart reports, October 31:

Week ended October 31. Bills of health issued as follows: Steamship *Sergipe*, from Rio de Janeiro to New York; steamship *Toftwood*, from Buenos Aires to Savannah; steamship *Orinoco*, from Southampton to New York; steamship *Desterro*, from Santos to New Orleans; steamship *Selsden*, from Buenos Aires to Pensacola; steamship *Brittannic*, from Norfolk to Baltimore, and steamship *Voltaire*, from Santos to New York. Sanitary condition of vessels, cargoes, crews, and passengers, good.

The sanitary condition of the port remains good, no quarantinable diseases being reported for the port or island.

Report from Castries, St. Lucia Island—Sanitary conditions.

Acting Assistant Surgeon Maylie reports, October 28 and November 1:

Weeks ended October 26 and November 2.

Sanitary condition of this port and vicinity good. No quarantinable diseases exist.

FOREIGN AND INSULAR STATISTICAL REPORTS OF COUNTRIES AND CITIES—
UNTABULATED.

AFRICA—*Kimberley*.—Month ended October 12, 1907. Estimated population, 54,141. Total number of deaths, 89, including 2 from enteric fever.

AZORES—*St. Michaels and St. Maria*.—Month of September, 1907. Estimated population, 127,566. Total number of deaths, 343, including diphtheria 1, enteric fever 3, scarlet fever 9, and 7 from tuberculosis.

CANADA—*Ontario—Hamilton*.—Month of October, 1907. Estimated population, 63,000. Total number of deaths, 68, including enteric fever 2, diphtheria 3, and 2 from tuberculosis.

Niagara Falls.—Month of October, 1907. Estimated population, 8,500. Total number of deaths, 5.

CUBA.—Month of September, 1907. Reports from the 6 provinces, having an aggregate population of 1,572,797, show as follows: Deaths from contagious diseases: Diphtheria 7, enteric fever 11, leprosy 2, measles 1, scarlet fever 2, yellow fever 13, and 106 from tuberculosis.

GIBRALTAR.—Two weeks ended October 27, 1907. Estimated population, 27,385. Total number of deaths, 10, including 1 from diphtheria.

GREAT BRITAIN—*England and Wales*.—The deaths registered in 76 great towns in England and Wales during the week ended October 26, 1907, correspond to an annual rate of 14.6 per 1,000 of population, which is estimated at 16,024,458.

London.—One thousand two hundred and sixty-five deaths were registered during the week, including measles 16, scarlet fever 26, diphtheria 11, enteric fever 9, whooping cough 18, tuberculosis 167, and 67 from diarrhea. The deaths from all causes correspond to an annual rate of 13.9 per 1,000. In Greater London 1,727 deaths were registered. In the "outer ring" the deaths included 4 from diphtheria, 2 from scarlet fever, and 2 from whooping cough.

Salford.—Two weeks ended October 26, 1907. Estimated population, 236,670. Total number of deaths, 148, including diphtheria 4, measles 1, scarlet fever 7, whooping cough 2, and phthisis pulmonalis 8.

Ireland.—The average annual death rate represented by the deaths registered during the week ended October 26, 1907, in the 21 principal town districts of Ireland was 20 per 1,000 of the population, which is estimated at 1,117,547. The lowest rate was recorded in Wexford, viz, 9.3, and the highest in Newry, viz, 37.8 per 1,000. In Dublin and suburbs 154 deaths were registered, including measles 5, whooping cough 1, and 26 from tuberculosis.

Scotland.—The deaths registered in 8 principal towns during the week ended October 26, 1907, correspond to an annual rate of 14.4 per 1,000 of the population, which is estimated at 1,812,171. The highest rate of mortality was recorded in Glasgow, viz, 16.9, and the lowest in Leith, viz, 9.4 per 1,000. The aggregate number of deaths registered from all causes was 499, including diphtheria 2, scarlet fever 2, measles 16, and 14 from whooping cough.

SPAIN—Barcelona.—Ten days ended October 20, 1907. Estimated population, 600,000. Total number of deaths, 353, including diphtheria 2, enteric fever 25, whooping cough 1, smallpox 2, and 17 from tuberculosis.

TURKEY—Constantinople.—Two weeks ended October 27, 1907. Estimated population, 1,000,000. Total number of deaths, 333, including diphtheria 1, enteric fever 14, scarlet fever 4, smallpox 1, and 61 from tuberculosis.

Smyrna.—Four weeks ended June 17, 1907. Estimated population, 400,000. Total number of deaths, 235, including diphtheria 1, enteric fever 7, smallpox 6, measles 3, whooping cough 1, typhus fever 1, and 75 from lung diseases.

Four weeks ended July 15, 1907. Total number of deaths, 261, including diphtheria 2, enteric fever 13, measles 4, typhus fever 1, smallpox 3, and 73 from lung diseases.

Four weeks ended August 12, 1907. Total number of deaths, 340, including diphtheria 2, enteric fever 16, measles 2, smallpox 4, plague 5, whooping cough 6, and 105 from lung diseases.

Four weeks ended September 9, 1907. Total number of deaths, 283, including diphtheria 4, enteric fever 22, measles 11, scarlet fever 1, smallpox 4, whooping cough 13, and 99 from lung diseases.